



I'm an electronic order form. You can fill me out without printing.

BATH/ CO/



ENGLISH CLASSIC LAUNDRY ORDER FORM

ENGLISH CLASSIC LAUNDRY

ORDER FORM

IN 11 EASY STEPS

- 1 Choose your base cabinets
- 2 Pick your benchtop & sink
- 3 Allow for any washing machines or dryers
- 4 Choose any cabinets & open shelves
- 5 Pick any floating shelves
- 6 Choose your tapware & accessories
- 7 Pick any fixings needed to install & finish your laundry
- 8 Draw your laundry
- 9 Calculate your final benchtop length
- 10 Checklist
- 11 Acknowledge, sign & return

ENGLISH CLASSIC LAUNDRY ORDER FORM

Date: _____

Merchant: _____

Order Number: _____








Consultant: _____




All measurements are in millimeters

Step
1

Base Cabinets

Choose your base cabinets

Base cabinets*		Qty
	450 1 Drawer 450W X 590D X 895H VLUENG45D	compatible with s/steel 400 sink only without sink
	450 2 Drawer 450W X 590D X 895H VLUENG45D2	compatible with s/steel 400 sink only without sink
	600 1 Drawer 600W X 590D X 895H VLUENG60D	with sink without sink
	600 2 Drawer 600W X 590D X 895H VLUENG60D2	with sink without sink
	750 2 Drawer 750W X 590D X 895H VLUENG75	with sink without sink
	900 2 Drawer 900W X 590D X 895H VLUENG90	with sink without sink
	1200 2 Drawer 1200W X 590D X 895H VLUENG120	with sink without sink

Accessory cabinets* - not compatible with sinks		Qty
	1 Drawer & 1 fold-down cupboard with pull-out ironing board 450W X 590D X 895H VLUENGIB45D2	
	1 Drawer with pull-out hamper 450W X 590D X 895H VLUENGH45D	White basket Cinder grey basket
	1 Drawer with 2 pull-out hampers 450W X 590D X 895H VLUENGD45D	1 White basket & 1 Cinder grey basket

*Height excludes benchtop (920mm with top)

Choose your colour

Standard or custom colour paint

Matte English White (standard)

Matte Custom Colour _____

Please provide paint name, supplier & code.

Choose your handle

Drawer handles included in cost of cabinets

		Tick
Chrome 2052	Antique Pewter 2048	
Black 2050	Antique Bronze 2051	

Step
2

Benchtop & sink

Confirm your total bench length in step 9

Choose your benchtop colour

Tick one		
<input type="checkbox"/> White	<input type="checkbox"/> Carrara Marble	<input type="checkbox"/> Ariston
<input type="checkbox"/> Ice Crystal	<input type="checkbox"/> Peak Stone	<input type="checkbox"/> Akashi Grey
<input type="checkbox"/> Black Granite		

Choose your sink

Sinks include a basket waste

Tick one	
Stainless Steel 500 Inset Sink 5045	
Stainless Steel 400 Inset Sink 4045	
Kordura Inset Sink MP803	
Lancashire Sink LANCASHIRE	

Step
3

Overhang

Gap/s required under benchtop for washing machine and/or dryer

Width
Washing machine overhang incl clearance*

Width
Dryer machine overhang incl clearance*

*Refer to manufacturers measurements and clearance recommendations



ENGLISH CLASSIC LAUNDRY ORDER FORM

All measurements are in millimeters

Step
4

Cabinets & Open Shelves

Choose your utility cabinets

Utility cabinets		Qty
	1 Door with 5 fixed shelves 450W X 590D X 2100H LTCENGX5	Left door hinge Right door hinge
	1 Door, 1 shelf & 1 fixed rail 450W X 590D X 2100H LTCENG	Left door hinge Right door hinge

Choose your colour

Standard or custom colour paint


Matte English White (standard)

Matte Custom Colour _____
Please provide paint name, supplier & code.

Choose your handle

Drawer handles included in cost of cabinets		Tick
Chrome 2052	Antique Pewter 2048	
Black 2050	Antique Bronze 2051	

Over washer & dryer stacker cabinet kit

Stacker cabinet		Qty
	Kit - 1 Door Cabinet & Side Panels Total: 670W X 600D X 2100H Cabinet: 640W X 600D X 375H LSTENG67	
	Cabinet Only - 1 Door Cabinet: 640W X 600D X 375H LOHENG64	

PLEASE NOTE: Cabinet features finger pull, handleless door front




Choose your colour

Standard or custom colour paint

Matte English White (standard)


Matte Custom Colour _____
Please provide paint name, supplier & code.

Choose your top cabinets

Top cabinets		Qty
	450 Single door 450W x 290D x 720H LTTENG45	Left door hinge Right door hinge
	600 Double door 600W x 290D x 720H LTTENG60	
	750 Double door 750W x 290D x 720H LTTENG75	

PLEASE NOTE: All top cabinets feature finger pull, handleless door fronts

Choose your open shelves

Open shelves		Qty
	450 Open shelf 450W X 290D X 720H LTOSENG45	
	600 Open shelf 600W X 290D X 720H LTOSENG60	
	750 Open shelf 750W X 290D X 720H LTOSENG75	

Choose your colour

Standard or custom colour paint

Matte English White (standard)

Matte Custom Colour _____
Please provide paint name, supplier & code.

ENGLISH CLASSIC LAUNDRY ORDER FORM

All measurements are in millimeters

Step
5

Floating Shelves

Choose your floating shelves

Qty		Qty	
300W X 150D SENG30		600W X 150D SENG60	
450W X 150D SENG45		900W X 150D SENG90	
450W X 270D SENGD45		1200W X 150D SENG120	

PLEASE NOTE: Shelves only available in timber veneer and paint finishes

Choose your colour

Standard or custom colour paint

- Matte English White (standard)
- Matte Custom Colour _____
Please provide paint name, supplier & code.

Step
6

Tapware & accessories

	Qty
Rolling mat 987017	
Gooseneck sink mixer Chrome plated CK1006	
Gooseneck sink mixer Stainless steel 980056	
Sink mixer w/pull-out hose Brushed chrome 980039	
1m Laundry hanging rail with brackets LHR100	
1.5m Laundry hanging rail with brackets LHR150	
2m Laundry hanging rail with brackets LHR200	
2.5m Laundry hanging rail with brackets LHR250	
3m Laundry hanging rail with brackets LHR300	

Step
7

Fixings

Choose your fixings We recommend confirming with your installer what fixings you will need for installation.

End panels, bench supports & cabinet connectors	Qty
End panel 16W X 573D X 895H <i>If your laundry ends with an overhang and does not butt up against a wall, an end panel is used to support and finish the overhanging benchtop. Will match colour of base cabinets</i> LEPENG	
Bench support bracket <i>Used to support overhanging bench tops.</i> LES	
Cabinet connectors - bolt & screw set <i>Four sets needed per cabinet to cabinet connection</i> RMF091	

Packer panels	Qty
Laundry packer panel 16W x 900H <i>Used to pack gaps between cabinetry or between cabinetry and walls. Will match colour of base cabinets</i> LPPENG	
Tall laundry packer panel 16W x 2100H <i>Used to pack gaps between stacker cabinets or utility cabinets and walls. Will match colour of cabinets</i> LPPENG TALL	

ENGLISH CLASSIC LAUNDRY ORDER FORM

Step
8

Draw your laundry

All measurements are in millimeters

Please add any additional notes on next page

Draw your laundry below or attach a plan to this order form

Include in your laundry drawing:

- Walls or windows, eg. if the laundry is located between walls, against a wall or freestanding
- Existing plumbing location requirements
- Where you need end panels and/or packer panels
- Benchtop & sink location
- Washing machine and/or dryer location
- Additional base cabinets, cabinets or shelves

Total bench length cannot exceed 3600mm

Step
9

Confirm your configurations & benchtop length

Room Configuration (please tick)

- Against left-hand wall
- Against right-hand wall
- Between walls

Overall Laundry Length:

Benchtop length

Calculate your total bench length by adding together these measurements

Total of all drawer widths (step 1)	mm
Total of all packer panel widths (step 7)	mm
Total of all end panel widths (step 7)	mm
Total of all overhang widths (step 3)	mm
Overall bench length	mm

Total bench length cannot exceed 3600mm

Step 10

Checklist, before you sign please check . . .

- | | |
|---|---|
| <input type="checkbox"/> You have chosen all cabinets and shelves (Steps 1 - 5) | <input type="checkbox"/> You have either drawn or included a drawing of the laundry (Step 8) |
| <input type="checkbox"/> You have chosen all the colour/finishes and handles (Steps 1 - 5) | <input type="checkbox"/> You have confirmed your room configurations (Step 9) |
| <input type="checkbox"/> You have chosen your benchtop, sink and overhang (Step 2 & 3) | <input type="checkbox"/> You have confirmed your benchtop (Step 9) |
| <input type="checkbox"/> You have chosen any fixings (Step 7) | |

Step 11

Acknowledge, sign & return

By the sending this order form you/the client confirm you have read the Important information on page 8 and concur that the custom colours and finishes we offer, when ordered, can't be changed or cancelled because of errors, or a change of mind. Please double-check dimensions and fill out this form correctly.

Please return this completed form to your retailer who will then email it to Bath Co.

Email to orders@bathco.co.nz

Date _____ Customer Name _____

Customer Signature _____

Merchant to fill in

Order No. _____ Merchant _____

Merchant Contact Name _____

Notes: _____

ENGLISH CLASSIC LAUNDRY ORDER FORM

INSTALLATION TIPS

- All products must be inspected before installation. Bath Co is not liable for removal and installation costs.
- If an extension is ordered; the top must be firmly secured to the wall, or other solid fixing system. An end panel can be ordered separately.
- Bottle traps and contoured basin wastes must be used.
- Italian china tops are fired at 1200 degrees centigrade. As a result, they may be slightly distorted due to shrinkage. Units and tops not installed correctly will be void of warranty.

TIMBER FINISHES

Timber veneer comes as a satin finish, available in Blonde Oak, Coffee, Dark Oak, Natural Oak, Walnut, Noce, White Oak and Chestnut. Being 100% natural products, each may have variations in grain and colour.

PAINT & MELAMINE FINISHES

The paint used in our products is polyurethane or UV- based. It is up to five times harder and more durable than lacquer finishes. Our wood grain melamine is a low-pressure laminate. Colours are available in Driftwood, French Oak, Nordic Ash, Honey Ash, Classic Walnut, Smoked Ash, Southern Oak, Hickory Walnut, Black Forest, Original Oak and Charred Oak.

SOLID KORDURA TOPS

Bath Co Kordura surface is extremely durable, hard yet soft to feel. It is water, heat and stain resistant. It is non-porous, so is easily maintained and very hygienic. Tops available in: White, Carrara Marble, Ice Crystal, Ariston, Peak Stone, Akashi Grey, Black Walnut and Black Granite. Surcharges apply for all coloured finishes.

DELIVERY

We aim to despatch all standard orders within five days of receipt of the order. Imported products, timber finishes, paint colours, and other non-standard items may be subject to a longer delivery date. We will keep you informed if this occurs.

DISCLAIMER

Smail & Co retain the right to change products and specifications without notice. All measurements are in millimetres and are nominal only. We will not give a full refund if you change your mind. Restocking and freight costs will be applicable. All made-to-order products are non-returnable. If the goods are faulty, however, we will meet our obligations under the Consumer Guarantees Act. Bath Co cannot guarantee colour accuracy of custom colours, finishes and products represented in our catalogues, website & other marketing material. Best & most accurate representation is viewing samples from our showroom or retailers of our products. Direct sunlight should be avoided on all timber veneered surfaces as fading, bleaching or colour changes of the surface may occur.

NON STOCK ITEMS

Products made to order will take longer to manufacture therefore despatch & delivery dates are subject to completion.

TAPHOLES

Kordura tops are not pre-drilled for tap holes – it is the responsibility of the installer to cut these. These hybrid solid surfaces hold solid colour throughout and can be easily cut or drilled with a router, jigsaw or holesaw.

FREIGHT

Freight will be charged for orders under \$400.

SMAIL & COMPANY WARRANTY

General Warranty Statement

Smail & Company Limited (Smail & Co) warrants that in the manufacture of its Bath Co products only high quality workmanship and materials have been used. The following warranty applies to Bath Co products supplied to customers in New Zealand, for use in residential installations only. Subject to the warranty conditions, in addition to any other right or remedy that the purchaser may have under any relevant consumer protection legislation, Smail & Co undertakes to either repair or replace (at its discretion) any Bath Co product if that product contains a material defect with either materials or workmanship which arose in the course of manufacture.

Residential Warranty

- In relation to the following products bathroom vanities, basins, tops, baths, toilets, showers, tapware a 5-year warranty applies from date of purchase.
- In relation to the following products shower hoses, shower heads, cartridges, mirrors, cistern fittings, wastes, toilet seats, electrical, face plates, washers, valves and shower seals a 1-year warranty applies from date of purchase.
- In relation to the following products in-wall cisterns (excluding items listed above) a 15-year warranty applies from date of purchase.

Commercial Warranty

In relation to any Bath Co products installed in a commercial situation a 12 month warranty applies from the date of purchase. Commercial situations are defined as public washrooms, public buildings, schools, sports centres, gymnasium, hospitals, motels, hotels and retirement villages.

Warranty Conditions

1. Proof of purchase (such as invoice or receipt) must be provided by the initial purchaser. This warranty is not transferable.
2. All Bath Co installation instructions must have been strictly followed and the product must have been installed in accordance with the relevant New Zealand Building/Plumbing Codes by a certified building or plumbing practitioner (as appropriate for the product).
3. The product must not have been subject to excessive wear and tear. The warranty only covers normal use and typical wear and tear.
4. The product must not have been tampered with or repaired in any way other than in accordance with this warranty.
5. The product must not have been damaged by misuse, accident or neglect, including water damage, sunlight, excessive water temperature, humidity, direct lighting or other adverse environmental conditions.
6. Harsh detergents or abrasive cleaners must not have been used on the product and the product must be cleaned in accordance with the recommended cleaning methods.
7. All warranty covered repair work is to be performed by Smail & Co but Smail & Co shall not be responsible for the cost of removal or installation of the product.
8. Smail & Co shall make the final determination on any issue or uncertainty regarding the application of this warranty.
9. If you acquired the Bath Co product in trade (or some other exception exists under the Consumer Guarantees Act 1993 (the Act) then the Act shall not apply.

If the above conditions are not met, the warranty will be null and void.

Smail & Co shall not be liable to the purchaser for any loss, damage (direct, indirect or consequential), cost or expense incurred by the purchaser (including, without limitation, any damage to other products and/or labour costs incurred in the installation, repair or replacement of the product) other than in accordance with the above warranty, under any relevant consumer protection legislation or as consented in writing by Smail & Co in advance of the cost being incurred.